

# WELCOME

I have always understood that Fast Food System's mission is to provide QSR operators with the tools they need to deliver great tasting, hot, fresh food, every time, time after time. Vizu equipment is designed to make that a reality.

The Vizu Brand has built on five decades of experience making Fast Food Systems a leader in the design, manufacture and installation of high-quality quick service restaurant equipment.

With over 70 items in the Vizu range, Fast Food Systems can truly claim to be the QSR experts. Vizu equipment can be seen everywhere from your local cinema, football clubs, amusement parks and many independent and chain fast-food restaurants. Based in Reading, all Vizu equipment is proudly manufactured in the UK. Our R&D team is always looking for ways to improve the equipment and to expand the Vizu range as the needs of our customers change and evolve.

Our experienced team can assist you with creating an efficient workflow in your kitchen and can even manufacture bespoke equipment to suit your unique requirements. So whether it is chicken, burgers or plant-based you are serving, we have the right equipment for you.

Andrew Withers, Chairman

	Quick service restaurant equipment	3 - 6, 9 - 13, 15 - 20
<b>&gt;</b>	BROASTER Pressure fryers	7 - 8
<b>&gt;</b>	THE CONTACT GRILL COMPANY Panini grills	14
	HEATED SHOWCASE UNIT Holding and displaying hot foods	21



Due to the ongoing development programme, model dimensions and specifications may change without notice.

# **FRIES RANGE**



#### **VIZU MEGA FRIES & MINI FRIES**

- Heat lamps from above and beneath the dump area maintain a consistent temperature for the cooked products.
- The front and rear lamps are controlled separately, allowing energy to be conserved when appropriate.
- The dump area is large with a divider to keep a variety of products; including chips, onion rings, potato wedges, etc.
- Interchangeable side glass and new bagging rack (of 2 different sizes), to support different workflow directions.
- Additional bagging rack option at the rear of the dump area gives more storage space during busy periods.
- Wrap and chip bag stored beneath the dump area.
- Salt shaker holder included.







Vizu Mini Fries (VIMIF600S)





Vizu Super Fries (VISF)

CODE	VIMF	VIMIF600S	VISF
Width (mm)	803	605	1200
Depth (mm)	705	554	705
Height (mm)	1570	1530	1570
Weight (kg)	97	75	N/A
Voltage (V)	230	230	230
Wattage (kW)	2.5	1.5	2.5
Amps (A)	11	7	11

- VOTR3670 Right-Handed Fry Scoop.
- VOTR3672 Double-Handed Fry Scoop.
- VI006A Vizu Frykart





#### **VIZU MEGA FRIES TOPPER**

- All the advantages of the Vizu Mega Fries.
- Under unit storage is replaced with Adande freezer unit.
- Designed to improve the flow of food preparation between freezing, frying, and bagging.

#### **VIZU SERVER**

- Heat lamps from above and beneath the dump area maintain a consistent temperature for the cooked products, ideal for bagging and holding chips.
- This compact machine is intended to work as a pass through unit on the Fast Serv counter, but it may also be used as a bagging station.

#### VIZU MINI FRIES COUNTER TOPPER

- Table top version of the Vizu Mini Fries Topper.
- Same features in a smaller package.
- To be used with cooked products only.
- More energy efficient.
- Suitable for left and right work flow direction

#### **VIZU FRYKART**

- All stainless steel welded construction.
- Heavy duty castors (two lockable).
- Removable drip tray set in base frame.
- Fry baskets not included.


### **FRIES RANGE**





Vizu Server (VI003S)







Frykart (VI006A) (Basket not included)



Super High Heat Right Handed Scoop (VOTR3670)



Super High Heat Double Handed Scoop (VOTR3672)

CODE	VIMFTOPPER	ADVCR1/MCW	VI003S	VIMIF600CT	VI006A
Width (mm)	888	878	802	605	408
Depth (mm)	917	885	789	554	605
Height (mm)	1010	616	884	831	1410
Weight (kg)	68	82	80	50	
Voltage (V)	230	230	230	230	
Wattage (kW)	2.5	3	2.1	1.5	
Amps (A)	11	13	10	7	

- VOTR3670 Right-Handed Fry Scoop.
- VOTR3672 Double-Handed Fry Scoop.
- VI006A Vizu Frykart
- VI003SWS Server Wrap Stand, to allow easy access to packaging at the point of sale.



# PASS THROUGH RANGE

1100 Pass Through (optional direct water feed) (VI1100PTMS)


#### **VIZU PASS THROUGHS**

- Designed to fit on a central service counter – loaded from the rear and unloaded from the front.
- The machine maintains its internal temperature and humidity, extending the storage time for cooked meats, breads, and pastries without deterioration.
- The water supplied to the machine can either be fed directly from the mains or gravity fed from the water tank supplied.
- Individual loading and serving doors reduce heat and humidity loss during use.
- Spring-assisted doors seal to the machine when closed and lift when opened.
- Bright, low power lights illuminate the food on the trays, which are angled towards the unloading side of the Pass Through.
- The Pass Throughs are available in either 6, 8 or 12 rack units, to suit lower and higher volume environments.

#### **VIZU PASS THROUGH CABINET**

- Single door on front & rear side with rubber seals traps heat and humidity more easily.
- Clear glass doors display cooked products for customers











CODE	VI1100PTMS	VI700PTMS	VI400PTMS	VIPC
No. of Racks	12	8	6	6
Width (mm)	1140	780	470	470
Width with feed (mm)	1300	938	628	N/A
Depth (mm)	780	780	805	941
Height (mm)	884	886	933	948
Weight (kg)	100	90	68	
Voltage (V)	230	230	230	230
Wattage (kW)	2	1.9	1.4	1.4
Amps (A)	9	9	6	6



### **BREADING RANGE**

#### VIZU MINI MARINADE TUMBLER

- All stainless steel construction.
- Bidirectional tumbling with tumble speed control.
- Digital programmable timer control.
- Adustable leg supports.
- Ergonomic angled design.
- 1.5 bar vacuum increases marinade absorption for an improved products.
- Reduced footprint for counter tops.
- Easy-to-clean design.

#### **VIZU AUTO BREADER**

- For breading a variety of products; including chicken legs, fillets, wings, potato wedges etc.
- Motorised rotary sieve divides and dispenses reusuable breading mix into its own container below.
- Timed sieving system.
- Reduced labour.

#### VIZU MEGA AUTO BREADER

- The largest breading machine available in the Vizu range.
- Suitable for busier operations, with a requirement for large volumes of breaded prepared product.
- The extra large breading pan ensures the process is as efficient as possible, and maximises the comfort of the operator.
- Designed for ease of disassembly and reassembly, for cleaning and maintenance.
- Motorised rotary sieve divides and dispenses reusuable breading mix into its own container below.


#### VIZU MOBILE LANDING TABLE

- Space saving racking system that holds up to 6 1/1 Gastronorm Pans 65mm Deep.
- Mounted on castors, to aid workflow around the kitchen.



Vizu 50lb. Counter Top Tumbler (VI50LBVTM)





Vizu Loading Trolley (VITR01) (Storage boxes not included)



Vizu Mega Auto Breader (VI005MAB)



Vizu Mobile Landing Table (sold without pans and wires (VI020)



Vizu Mega Auto Breader with Back Panel (VI005MAB-BP)



CODE	VI50LBVTM	VI005AB	VI005MAB	VI005MAB-BP	VI020
Width (mm)	621	710	1050	1050	420
Depth (mm)	657	601	601	601	610
Height (mm)	657	1050	1050	1230	923
Weight (kg)	38	45	70	70	20
Voltage (V)	230	230	230	230	
Wattage (kW)	0.3	0.1	0.1	0.1	
Amps (A)	1.4	0.4	0.4	0.4	

- VOTR1527-05 7" White Food Storage Box.
- V0TR1527-C02 7" Red Food Storage Box.
- V0TR1500-C02 Red Storage Box Lid.
- V0TR1527-C08 7" Yellow Food Storage Box.
- V0TR1500-C08 Yellow Lid for Storage Box.
- VOTR1500-C13 Clear Storage Box Lid.
- V0TR1527-C19 7" Green Food Storage Box.
- V0TR1500-C19 Green Storage Box Lid.
- VOTR1511-C08 5" Deep Chicken Drain Box.
- VOTR1721 18 x 22 x 6" Divided But-Mil Dip Box.
- VITR01 Mobile Loading Trolley.
- VI020 Mobile Landing Table.
- GSGAST90022 1/1 GN Pan 65mm deep.
- GSGAST160 Stainless steel wire inserts to fit 1/1 GN Pan 65mm deep.


# **ELECTRIC PRESSURE FRYERS**



#### **ELECTRIC PRESSURE FRYERS**

- Designed to increase productivity and maximize energy efficiency.
- The built-in filter system and userfriendly operation can save time and trouble during maintenance and clean up.
- The 1600 Electric Pressure Fryer has a food capacity of 3.2kg or approximately 18 chicken pieces (available as electric only).
- The 1800 Electric Pressure Fryer has a food capacity of 6.3kg or approximately 36 chicken pieces.
- The 2400 Electric Pressure Fryer has a food capacity of 10kg or approximately 60 chicken pieces.







Vizu 1800 Pressure Fryer (BR1800CEEST)



Vizu 2400 Pressure Fryer (BR2400CEEST)

CODE	BR1600CEEST	BR1800CEEST	BR2400CEEST
Width (mm)	406	457	608
Depth (mm)	762	908	1118
Height (mm)	1058	1152	1187
Weight (kg)	89	99	163
Voltage 1 phase (V)	220	220	N/A
Voltage 3 phase (V)	220	220	220
Wattage (kW)	6	9.9	15
Amps 1 phase (A)	27.3	45	N/A
Amps 3 phase (A)	9.1	15	22.7
Hertz (Hz)	50	50	50

- 100x 1800 Filter Papers.
- 65x 2400 Filter Papers
- Xtend Oil Cleaning & Filtering Compound 20lb.
- Fryer Well Deep Cleaner 1x20lb.
- Marigold Industral Emperor Gloves in Black.
- Stainless Steel Crumb Catcher for Fryer Well.
- Metal Rod for Pressure Fryer.
- 20" High Temp Cleaning Brush.



### **GAS PRESSURE FRYERS**



#### **GAS PRESSURE FRYERS**

- Designed to increase productivity and maximize energy efficiency.
- The built-in filter system and userfriendly operation can save time and trouble during maintenance and clean up.
- The 1800 Gas Pressure Fryer has a food capacity of 6.3kg or approximately 36 chicken pieces.
- The 2400 Gas Pressure Fryer has a food capacity of 10kg or approximately 60 chicken pieces.







#### SMARTTOUCH TOUCH SCREEN **CONTROLLER FEATURES**

- 6" x 3.5" full colour touch screen.
- Preset cook times and product photos.
- Easy transfer of cook times via USB port
- Set up features can be protected by a code, accessible only by store manager or authorized person.
- Automatic idle and shut-off modes
- On-screen local distributor contact and service information.
- Current Pressure Fryers can be upgraded to have SmartTouch Touch Screen Controllers.

Vizu 1800 Pressure Fryer (BR1800CELPGST / BR1800CENATST) Vizu 2400 Pressure Fryer (BR2400CELPGST / BR2400CENATST)

CODE	BR1800CELPGST	BR1800CENATST	BR2400CELPGST	BR2400CENATST
Width (mm)	457	457	608	608
Depth (mm)	908	908	1118	1118
Height (mm)	1152	1152	1187	1187
Weight (kg)	116	116	185	185
Voltage 1 phase (V)	220	220	220	220
Gas (BTU/hr)	65,000	65,000	95,000	95,000
Hertz (Hz)	50	50	50	50

- 100x 1800 Filter Papers.
- 65x 2400 Filter Papers
- Xtend Oil Cleaning & Filtering Compound 20lb.
- Fryer Well Deep Cleaner 1x20lb.
- Marigold Industral Emperor Gloves in Black.
- Stainless Steel Crumb Catcher for Fryer Well.
- Metal Rod for Pressure Fryer.
- 20" High Temp Cleaning Brush.



#### **VIZU GASTRO WARMER**

- Designed to safely hold and maintain a variety of cooked foods in a humid and temperature controlled environment.
- Two digital displays for countdown time and temperature.
- 90 minute countdown timer with audible
- Designed to fit a standard 1/1 Gastronorm Pan 150mm Deep (included), or 3 polycarbonate 1/3 pan.

#### VIZU HOLDING CABINET

- Thermostatically controlled temperature ensures accurate consistent holding.
- Designed to hold and maintain a variety of cooked foods such as chickens, ribs, potatoes etc. in a humidified environment.
- Forced convection ensures an even heating throughout the unit, while minimising condensation.
- Capacity of 6 1/1 Gastronorm Pans 65mm Deep.
- Fully mobile design on castor wheels.

#### VIZU GASTRO WARMER 3 PAN PASS THROUGH

- Combines the function of the Vizu Pass Through Range with the Vizu Gastro Warmer 3 Pan, allowing products to be loaded from both the front and rear.
- This machine helps to speed up the workflow of the kitchen by providing a highly visible, short hot holding solution for small quantity cooks.
- Having clear containers for food means you can easily see what is being stored.
- The timers above each container means you can accurately track the amount of the time the cooked product is being held.
- The perfect machine to hold a range of items and can be used for breakfast, lunch and dinner products alike.
- Storage solution helps to trap moisture ensuring product is held to a high standard.
- No fan to fail unit having minimal moving parts ensuring minimal down times.

### **HOLDING RANGE**



Vizu Gastro Warmer (VIGWCOMP)





Vizu Mini Humidified Holding Cabinet (VI014SHHC)



Vizu Gastro Warmer 3 Pan Pass Through Single Handled





Vizu Gastro Warmer 3 Pan Pass Through Double Handled



Vizu Gastro Warmer 1 Pan Pass Through

CODE	VI014SHHC	VIGWCOMP	VIGWCOMP2DR	VIGW3PPT	VIGW3PPT-SH	VIGW1PPT
Width (mm)	538	605	605	600	600	600
Depth (mm)	651	505	505	360	360	360
Height (mm)	887	368	540	247	247	247
Weight (kg)	60	30	N/A	30	30	30
Voltage (V)	230	230	230	230	230	230
Wattage (kW)	0.9	0.6	0.6	1	1	1
Amps (A)	3.9	2.6	2.6	4.4	4.4	4.4

- GSGAST90022 1/1 GN Pan 65mm Deep.
- GSGAST160 Stainless Steel Wire Inserts, for 1/1 GN Pan 65mm Deep.
- GS16CW X3 Polycarbonate, 150mm Deep Pan.
- GSGAST90062 150mm GN Pan. . GSGAST160 - Stainless Steel Wire Insert.
- VIGASTROSTAND Table Top Stand to suit VIGW3P 300mm high
- VIGASTROSTAND-3PT Table Top Stand to suit VIGW3PPT 300mm high.
- VIGASTROSTAND-TALL Table Top Stand to suit VIGW3P 430mm high
- VIGASTROSTAND-TALL-3PT Table Top Stand to suit VIGW3PPT 430mm high.



# **CLAM GRIDDLE**

#### **VIZU CLAM GRIDDLE**

- Built with a tough, hard wearing, hard chromed cooking griddle and easy to clean non-stick clam head.
- 10 cooking programs give a choice of cook times and temperatures for a consistent cook every time.
- Each program controls the temperature of both the upper clam head, the lower griddle, and the duration of the cook.
- Once the product is placed on to the griddle, the clam head is pulled closed and the machine is locked shut.
- The Vizu Clam Griddle automatically adjusts the pressure it exerts on the product, allowing the machine to swap quickly and easily between, for example bacon, steaks, chicken fillets or burgers.
- Once the cooking cycle is complete, the Vizu Clam Griddle automatically opens and is ready to be unloaded.
- The clam head is also available as a ribbed platen to give a chargrilled look to the cooked product.
- Cooks products in just 1 to 2 minutes for speed and efficiency.











CODE	VICG450OCL	VICG450OCLGP
Clam Head	Plain	Grooved
Width (mm)	457	457
Width with rack (mm)	523	523
Depth (mm)	968	968
Closed Height (mm)	1140	1140
Opened Height (mm)	1480	1480
Weight (kg)	112	112
Voltage (V)	415/3ph	415/3ph
Wattage (kW)	9kW	9kW
Amps (A)	22	22

#### **Related Products:**

• TYCL116X49 - Replacement Silver Non-stick Sheet.



# **FOOD CHUTE RANGE**

#### **VIZU 2 TIER FOOD CHUTE**

- Heat lamps, ceramic radiant heat elements, and under surface heating provide a hot air environment for storing and displaying cooked food in this Food Chute unit.
- Adjustable light intensity, using a dimmer control (and includes an energy saving feature).
- The lane guides can be adjusted to different widths, to accommodate different menus.
- Lane labels provide quick reference for both loader and server.

#### VIZU ECONOMY 2 TIER FOOD CHUTE

- Heat lamps and ceramic radiant heat elements provide a hot air environment.
- Stores and displays cooked food only.
- Lane guides can be adjusted to different widths to accommodate different menus.
- Lane labels provide quick reference for both loader and server.

#### **VIZU 3 TIER FOOD CHUTE**

- All stainless steel construction.
- The lane guides can be adjusted to different widths, to accommodate different menus.
- Lane labels provide quick reference for both loader and server.
- This Food Chute has top heating only for all three tiers.



,



Vizu Economy 2 Tier Food Chute (VI017S)



(Lane labels included)

Vizu 2 Tier Food Chute FC14 (VIBC14)



Vizu Heated 2 Tier Food Chute (VI2TFC)



(Lane labels included)

Vizu 3 Tier Food Chute (VI3TFC)

CODE	VI017	VIBC14	VI3TFC	VI017S	VI2TFC
Width (mm)	710	1210	800	658	611
Depth (mm)	787	787	805	661	415
Height (mm)	778	773	1030	725	700
Weight (kg)	60	86	80	53	35
Voltage (V)	230	230	230	230	230
Wattage (kW)	2.1	4.2	2.4	1.4	0.8
Amps (A)	10	20	10.5	6	3.5

- VI017WS 8 Lane 2 Tier Food Chute Wrap Stand, to allow easy access to packaging at the point of sale.
- VIBC14WS 14 Lane 2 Tier Food Chute Wrap Stand, to allow easy access to packaging at the point of sale.




# **TOASTER RANGE**




#### **VIZU BUN TOASTER**

- High temperature unit caramelises and seals buns to resist moisture absorption and increase the hold time of burgers.
- High output from a compact unitideal for busy kitchen environments.
- Polymer-coated, long-life, non-stick platen prevents buns from sticking and slowing output.
- Adjustable thickness control to suit a variety of bun sizes.
- Two speed control.
- Removable carriage for easy cleaning.
- Throughput of 6 seconds per bun.
- 20 buns per minute.
- 1200 buns per hour.










Vizu Bread Toaster (VIBRT)



# WRAP STAND RANGE



#### VIZU WRAP STAND

- Counter-top & wall-mounted versions available.
- 1/6 GN Pans for garnish.
- Packaging storage above.





Vizu Wrap Stand Wall-Mounted (VIWR3W)



Vizu Wrap Stand WR3 (VIWR3)

CODE	VIWR5	VIWR3	VIWR3W
Width (mm)	921	595	920
Depth (mm)	302	305	302
Height (mm)	702	705	150



# **CLAM RANGE**




#### **CERAMIC CONTACT GRILL**

- Easy-to-use, easy-to-clean.
- Outer case made entirely in stainless steel.
- Ceramic glass plates allow high temperatures to be reached in a very short time.
- Thermostatic control with heating indicator.
- Heat resistant handles.

#### MINI CLAM GRILLS

- Easy-to-use, easy-to-clean.
- Fast and economical.
- Digital timers with 5 pre-set times.
- Countertop or floor standing.
- Individual temperature controls for top and bottom plates.
- 2x 16 amp 1 phase required.
- Non-stick surfaces, chromed bottom plate, and long life non-stick sheet on the top plate.
- Supplied without plugs.





CODE	FAMVL	RMCCS1
Width (mm)	490	360
Depth (mm)	450	660
Height (mm)	190	400
Weight (kg)	15.5	41.4
Voltage (V)	230	6
Wattage (kW)	2	2 x 3.5
Amps (A)	8.7	2 x 16



Single Clam Grill (RMCCS1)

### **Related Products:**

• RMTSI – Replacement Non-stick Sheet.



# **BURGER MAKE-UP ISLAND**







- Smooth and easy sandwich preparation.
- Bun tray storage available underneath toaster
- Gastro warmers to keep food humid and warm until they're ready to serve.
- Relish rack for garnishes.
- Heated Bagging Station to keep bagged and packaged food warm until they're served.
- Railing on Heated Bagging Station to keep packaged food organised.













Vizu Slim Line Bun Toaster (VISBT)



Vizu Heated Burger Assembly Unit (VIHBA)

CODE	VI700BUNTRAY	VISBT	VIGWCOMP2DR	VIHBA
Width (mm)	700	651	605	1213
Depth (mm)	555	380	504	602
Height (mm)	882	695	540	623
Weight (kg)	35	35		50
Voltage (V)		230	230	230
Wattage (kW)		2.1	2.6	1.9
Amps (A)		9.5	2.6	8.3






### **FAST SERV RANGE**



#### VIZU FAST SERV

- The Fast Serv is a modular system that can be changed and rearranged to suit the customer's needs.
- Uses a combination of 600mm and 300mm wide standard units, with a 600mm or 1200mm deep countertop.
- A rear access panel on the units can be removed to connect relevant machines together; including electrical wiring, waste pipes, and water pipes.
- In island layouts, there is a 100mm wide channel between the front and back row, for wiring and pipelines.
- The Fast Serv can be finished with kick-plates, end panels, and upstands.





Vizu Fast Serv is a unique modular system for creating a rear-service counter in a QSR (Quick Service Restaurant), which is an amalgamation of everything you need to assemble a meal order quickly and efficiently. The modules allow you to pack, prepare and deliver; incorporating packaging materials and storage of condiments, through to holding hot food, drinks and waste disposal.

Fast Serv has been created in 300mm and 600mm wide modules that can be clipped and locked together in any order to suit the customers' bespoke requirements; small enough to fit through a doorway but large enough to create a comprehensive rear-service counter system.



# FAST SERV RANGE

#### VIZU CUP HOLDER UNITS

- 600 Cup Holder Units features horizontal cup tube dispensers, including an optional lid dispenser.
- Small, medium and large cup collars are available.

#### **VIZU WRAP STORAGE UNITS**

- A convenient storage space for napkins, packaging, and other paper products.
- Adjustable dividers and weighted holders ensure packaging is held firmly in place.

#### **VIZU CONDIMENT UNITS**

- Condiment Unit comes with 4 or 8 individual sections with curved chutes.
- Condiment section can slide out of unit for reloading.









600 Cup 3 Lid Unit (VI600CUP3LID)

600 Wrap 2/4 Unit (VI600WRAP2/4)

600 Double Wrap Bucket Unit 300 Condiment Unit (VI600WRAPBUCKET2)

(VI300CON)

CODE	VI600CUP3LID	VI600WRAP2/4	VI600WRAPBUCKET2	VI300CON
No. of Doors	2	2	2	-
Width (mm)	600	600	600	300
Depth (mm)	555	555	555	555
Height (mm)	882	882	882	882
Weight (kg)	36.2	37	37	23



# **FAST SERV RANGE**

#### **VIZU CONDIMENT UNITS**

- Condiment Unit comes with 4 or 8 individual sections with curved chutes.
- Condiment section can slide out of unit for reloading.

#### **VIZU ICE CHEST UNITS**

- Drain can be plumbed into waste water pipe or drawer beneath.
- Designed to accommodate a standard 1/1 Gastronorm Pan 65mm Deep, which can be emptied when necessary.

#### VIZU GASTRO WARMER UNITS

- Designed to safely hold and maintain a variety of cooked foods in a humid and temperature controlled environment, all conveniently located within a Fast Serv Unit.
- Two digital displays for countdown time and temperature.
- Storage below unit for packaging supplies or food handling equipment.

#### **VIZU DRAWER UNITS**

 Cabinets can accommodate up to four quarter size drawers or two half size drawers.









600 Condiment Unit (VI600CON)

600 Ice Chest Unit (VI600ICE)

600 Gastro Warmer Unit (VI600GW)

600 Drawer Unit (VI600DR)

CODE	VI600CON/4	VI600ICE	VI600GW	VI600DR
Width (mm)	600	600	600	600
Depth (mm)	555	555	555	555
Height (mm)	882	882	882	882
Weight (kg)	25	35	37	35
Voltage (V)	-	-	230	-
Wattage (kW)	-	-	0.6	-
Amps (A)	-	-	2.6	-



# **CINEMA RANGE**






- Fan assisted heating, ceramic heat element, and warm LED lighting keeps product warm and dry; while being energy efficient.
- Warm LED lighting, a stainless steel interior, and large glass window display the product in the most attractive way possible.
- Large rear sliding door provides space to fill the unit and fit tubs, bags, and buckets.
- Comes with a central product divider for sweet and salty popcorn.

#### **VIZU NACHO WARMER**

- Designed to hold nachos at the correct temperature.
- Short enough to fit under counter,
- Can be placed on the rear side facing the customer providing a view of the nachos bathed in an enticing warm interior lighting.
- No moving parts to break down
- Easy to service, clean and maintain.



POPCORN WARMER (VICOW600/750/900)





Nacho Single Door Cabinet (VI014HHCG)



Glass Nacho Warmer (VIGNW)

- FFCOWCDIVIDER Divider Panel & Brackets.
- VIPOPSCOOP Left or Right Handed Popcorn Scoop.



# HOT DOG GRILL & WARMER DRAWER

#### VIZU HOT DOG GRILL

- Thermostatically controlled temperature with digital display.
- Oscillating hot dog grid creates an eye catching display, and evenly heats and extends the holding time for pre-cooked hot dogs without deterioration.
- Designed to stack on top of Warmer Drawers, to reduce the space required and increase work flow.
- Easy-to-clean with removable grills.
- High production unit with minimal staff supervision.
- The HD4 holds twice the capacity and consumes less than twice the power.

#### VIZU WARMER DRAWER

- Holds hot dog rolls/buns in a warm, humidified, and consistent environment; prolonging the holding time of the product without deterioration.
- Easy-to-access water tray located at the front.
- Designed for and placed underneath the Hot Dog Grills, to reduce footprint and improve work flow.



Vizu HD2 Hot Dog Grill (VIHD2)



Vizu WD2 Warmer Drawer (VIWD2)



Vizu HD4 Hot Dog Grill (VIHD4)



Vizu WD4 Warmer Drawer (VIWD4)

CODE	VIHD2	VIHD4	VIWD2	VIWD4
Width (mm)	530	840	500	810
Depth (mm)	480	480	497	497
Height (mm)	192	192	256	256
Weight (kg)	20	30	25	35
Voltage (V)	230	230	230	230
Wattage (kW)	1.1	2.1	1	1
Amps (A)	5	10	4.3	4.4

- VISG2 Sneeze Guard for HD2 (not included).
- VISG4 Sneeze Guard for HD4 (not included).



# MULTI-VARIABLE HEATED SHOWCASE UNIT



#### **HEADED SHOWCASE UNIT**

- Innovative fanless design ensures even heat distribution, reducing energy costs and simplifying maintenance.
- Large sliding doors and ergonomic design ensures easy loading for a variety of products.
- Product illuminated with energy efficient LED lighting.
- Mirrored glass on rear doors promotes customers product.
- Illuminated front panel for customer transparencies.
- Adding water to maintain humidity.
- Suitable for fried and grilled meats or dry pastries.
- Supporting the environment through use of low power technologies



CODE	VI3PHDU
Width (mm)	1150
Depth (mm)	650
Height (mm)	660
Weight (kg)	83
Voltage (V)	230
Wattage (kW)	3
Amps (A)	13

- GSGAST90022 1/1 GN Pan 65mm Deep.
- GSGAST30002 1/1 GN Pan 25mm Deep.
- GSGAST160 Stainless Steel Wire Inserts.
- 1145x152cm Duratran (sold separately).











### **FAST FOOD SYSTEMS**

Unit 1, Headley Park 9, Headley Road East, Woodley, Reading, Berkshire RG5 4SQ

Telephone: +44 (0)118 944 1100 E-mail: sales@fast-food-systems.co.uk Web: www.fast-food-systems.co.uk



